

What needs to be notified?

Domestic location where work is being carried out	Minor Works (extensions & modifications to circuits)	New Circuits
Bathrooms	✓	✓
Bedrooms	✗	✓
Bedrooms containing a shower or basin	✓	✓
Ceiling (over head) heating	✓	✓
Computer cabling	✗	✗
Conservatories	✗	✓
Consumer unit changes*	n/a	✓
Control wiring	✓	✓
Dining rooms	✗	✓
Extra low voltage (ELV) non pre-assembled CE marked lights	✓	✓
Garden lighting	✓	✓
Garden power	✓	✓
Greenhouses	✓	✓
Halls	✗	✓
Integral garages	✗	✓
Kitchen	✓	✓
Kitchen diners**	✓	✓
Landings	✗	✓
Lounge	✗	✓
Remote buildings	✗	✓
Remote garages	✗	✓
Saunas	✓	✓
Sheds	✗	✓
Shower rooms	✓	✓
Small scale generators	✓	✓
Solar power systems	✓	✓
Stairways	✗	✓
Studies	✗	✓
Swimming pools	✓	✓
Telephone cabling	✗	✗
TV rooms	✗	✓
Underfloor heating	✓	✓
Workshops (remote)	✗	✓

* Changes to consumer units should always be certificated on a BS 7671 Electrical Installation certificate and be notified to Building Control

** See Approved Document P for a definition of 'kitchen'

For full clarification of what is or isn't notifiable refer to Approved Document P table 1 & 2 and the accompanying notes.